


-109-
CLAIMS

What is claimed is:

1. A compound of the formula:




5

wherein:

X is NH, O or S;

10 R₁ is selected from halogen, -C=CH₂, -O-C₁-C₆ alkyl, -C=CH-(CH₂)_m-O-C₁-C₆ alkyl, -C=C-(CH₂)_m-O-C₁-C₆ alkyl, -C=C-(CH₂)_m-NH-C₁-C₆ alkyl, -C≡CH, -C≡C-(CH₂)_m-OH, C≡C-(CH₂)_m-NH₂, -COOH, -(CH₂)_m-COOH, -CONH₂, -COO-C₁-C₆ alkyl, -(CH₂)_m-CONH₂, -C(O)(C₁-C₆ alkyl), -C(O)NHSO₂H, -(CH₂)_m-C(O)NHSO₂H, -C(O)NHSO₂-(C₁-C₃ alkyl), -(CH₂)_m-C(O)NHSO₂-(C₁-C₃ alkyl), or C₁-C₆ alkyl, -S-C₁-C₆ alkyl or alkenyl, with the alkyl, -S-alkyl and alkenyl chains in each of these R₁ moieties being optionally substituted by from 1 to 3 OH groups and/or by from 1 to 5 fluorine atoms;

20 R₂ is -R₃, -O-R₃, -S-R₃ or a moiety selected from the group of NH₂, NHR₃, N(C₁-C₃ alkyl)-R₃, -NH-(CH₂)_n-O-(C₁-C₃ alkyl), -NH-(CH₂)_n-O-C(O)-(C₁-C₃ alkyl) or -N((CH₂)_n-O-(C₁-C₃ alkyl))₂, or a moiety selected from the group of:



R₃ is a moiety selected from:

5

a) C₁-C₈ alkyl, C₁-C₈ alkenyl, the alkyl and alkenyl groups each being optionally substituted by from 1 to 4 OH or halogen groups;


10

b) -(CH₂)_n-NH₂, -(CH₂)_n-NH(C₁-C₃ alkyl), -(CH₂)_n-N(C₁-C₃ alkyl)₂, -(CH₂)_n-O-(C₁-C₃ alkyl), -(CH₂)_m-C(O)-O-(C₁-C₃ alkyl), or (CH₂)_n-N(C₁-C₃ alkyl)-C(O)-(C₁-C₃ alkyl);

15

c) phenyl, -(CH₂)_m-phenyl, -(CH₂)_m-O-phenyl, the phenyl ring of each being optionally substituted by 1 or 2 groups selected from C₁-C₃ alkoxy, NH₂, NH(C₁-C₃ alkyl), N(C₁-C₃ alkyl)₂; or

d) a moiety selected from the group of:



5

R_4 is selected from H or $\text{C}_1\text{-C}_3$ alkyl, optionally substituted by OH;

R_5 is selected from H or halogen;

R_6 is selected from H or F;

R_7 is selected from F, CH_2F , CHF_2 , or -CF_3 ;


n in each instance is independently selected as an integer of from 1 to 6

10

m in each instance is independently selected as an integer of from 1 to 4;

or a pharmaceutically acceptable salt or ester form thereof.

2. A compound of Claim 1 of the formula:



wherein:

5 R₁ is selected from I, Br or C₁-C₃ alkyl;

R₂ is R₃, -O-R₃, -S-R₃ or a moiety selected from the group of NH₂, NHR₃, N(C₁-C₃ alkyl)-R₃, -NH-(CH₂)_n-O-(C₁-C₃ alkyl), -NH-(CH₂)_n-O-C(O)-(C₁-C₃ alkyl) or -N((CH₂)_n-O-(C₁-C₃ alkyl))₂;

10 R₃ is a moiety selected from:


a) C₁-C₈ alkyl, C₁-C₈ alkenyl, the alkyl and alkenyl groups each being optionally substituted by from 1 to 4 OH groups;

15 b) -(CH₂)_n-NH₂, -(CH₂)_n-NH(C₁-C₃ alkyl), -(CH₂)_n-N(C₁-C₃ alkyl)₂, -(CH₂)_n-O-(C₁-C₃ alkyl), -(CH₂)_m-C(O)-O-(C₁-C₃ alkyl),

c) phenyl, -(CH₂)_m-phenyl, -(CH₂)_m-O-phenyl, the phenyl ring of each being optionally substituted by 1 or 2 groups selected from C₁-C₃ alkoxy, NH₂, NH(C₁-C₃ alkyl), N(C₁-C₃ alkyl)₂ ; or

20

d) a moiety selected from the group of:



5 R_4 is selected from H or C_1 - C_3 alkyl, optionally substituted by OH;

n is an integer of from 1 to 6

m is an integer of from 1 to 4;

or a pharmaceutically acceptable salt form thereof.

10 3. A compound of Claim 1 selected from the group of:

5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-ylamine;

5-[5-Chloro-3,4-difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-ylamine;

15 5-[2-(4-Bromo-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-
[1,3,4]oxadiazol-2-ylamine;

- { 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-ethyl-amine;
Allyl-{ 5-[3,4-difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-amine;
5 { 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-(2,4-dimethoxy-phenyl)-amine;
N-(5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl)-*N*',*N*'-dimethyl-benzene-1,4-diamine;
3-{ 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-ylamino}-propane-1,2-diol;
10 { 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-(3-morpholin-4-yl-propyl)-amine
hydrochloride salt;
N-(5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl)-*N*',*N*'-diethyl-propane-1,3-diamine;
15 or a pharmaceutically acceptable salt form thereof.
4. A compound of Claim 1 selected from the group of:
- N*'1'-{ 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-ethane-1,2-diamine as a trifluoro-acetic
20 acid;
N-(5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl)-*N*',*N*',*N*'-trimethyl-propane-1,3-diamine;
{ 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-(2-piperidin-1-yl-ethyl)-amine;
25 *N*'1'-{ 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-butane-1,4-diamine;
N'1'-{ 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-propane-1,3-diamine;
30 *N*-(5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl)-*N*',*N*'-dimethyl-propane-1,3-diamine;
N-(5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl)-*N*',*N*'-dimethyl-ethane-1,2-diamine;

N-{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-*N'*-methyl-ethane-1,2-diamine;
N-{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-2,2,*N'*,*N'*-tetramethyl-propane-1,3-diamine;
5 {5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-(3-methoxy-propyl)-amine;
or a pharmaceutically acceptable salt form thereof.

5. A compound of Claim 1 selected from the group of:
- 10 {5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-(2-morpholin-4-yl-ethyl)-amine;
(2,3-Difluoro-6-{5-[4-(2-methoxy-ethyl)-piperazin-1-yl]-[1,3,4]oxadiazol-
2-yl}-phenyl)-(2-fluoro-4-iodo-phenyl)-amine;
5-5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
15 [1,3,4]oxadiazol-2-ylamino}-2,2-dimethyl-pentan-1-ol;
1-{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-pyrrolidin-3-ol;
(1-{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-piperidin-4-yl)-methanol;
20 2-(1-{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-piperidin-4-yl)-ethanol;
4-({5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-ethyl-amino)-butan-1-ol;
1-{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
25 [1,3,4]oxadiazol-2-yl}-piperidin-4-ol
2-{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-ylamino}-ethanol;
3-{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-ylamino}-propan-1-ol;
30 or a pharmaceutically acceptable salt form thereof.

6. A compound of Claim 1 selected from the group of:

- 4-{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-ylamino}-butan-1-ol;
5-{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-ylamino}-pentan-1-ol;
5 {5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-(2-methoxy-ethyl)-amine;
{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-(2-phenoxy-ethyl)-amine;
{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-(2-pyridin-4-yl-ethyl)-amine;
10 Butyl-{5-[3,4-difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-amine;
{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-(5-methyl-furan-2-ylmethyl)-amine;
15 {5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-(2-thiophen-2-yl-ethyl)-amine;
{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-[2-(3-methoxy-phenyl)-ethyl]-amine;
{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-[2-(3,4-dimethoxy-phenyl)-ethyl]-amine;
20 or a pharmaceutically acceptable salt form thereof.
7. A compound of Claim 1 selected from the group of:
- {5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
25 [1,3,4]oxadiazol-2-yl}-[2-(2,5-dimethoxy-phenyl)-ethyl]-amine;
{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-[2-(3,4-dimethoxy-phenyl)-ethyl]-methyl-
amine;
{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
30 [1,3,4]oxadiazol-2-yl}-methyl-(2-pyridin-4-yl-ethyl)-amine;
{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl}-methyl-(2-pyridin-2-yl-ethyl)-amine;

- { 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-propyl-amine;
sec-Butyl-{ 5-[3,4-difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-amine;
- 5 { 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-(2,2-dimethyl-propyl)-amine;
{ 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-isobutyl-amine;
- 10 { 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-(1,2,2-trimethyl-propyl)-amine;
{ 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-(2-methyl-butyl)-amine;
or a pharmaceutically acceptable salt form thereof.
- 15 8. A compound of Claim 1 selected from the group of:
Bicyclo[2.2.1]hept-2-yl-{ 5-[3,4-difluoro-2-(2-fluoro-4-iodo-
phenylamino)-phenyl]-[1,3,4]oxadiazol-2-yl }-amine;
{ 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-[2-(1-methyl-1H-pyrrol-2-yl)-ethyl]-amine;
- 20 { 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-[2-(1-methyl-1H-imidazol-4-yl)-ethyl]-
amine;
- 25 { 2,3-Difluoro-6-[5-(2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-
[1,3,4]oxadiazol-2-yl]-phenyl }-(2-fluoro-4-iodo-phenyl)-amine;
{ 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-(2-methoxy-1-methyl-ethyl)-amine;
- 30 { 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-(3-ethoxy-propyl)-amine;
3-{ 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-ylamino }-dihydro-furan-2-one;
3-{ 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-ylamino }-propionic acid;

{ 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-[2-(2,6-dimethyl-phenoxy)-1-methyl-ethyl]-
amine;

(1-{ 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-pyrrolidin-3-yl)-diethyl-amine;
or a pharmaceutically acceptable salt or ester form thereof.

9. A compound of Claim 1 selected from the group of:
- { 2,3-Difluoro-6-[5-(4-methyl-[1,4]diazepan-1-yl)-[1,3,4]oxadiazol-2-yl]-
phenyl }-(2-fluoro-4-iodo-phenyl)-amine;
- { 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-[2-(1-methyl-pyrrolidin-2-yl)-ethyl]-amine;
- { 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-(4-pyrrolidin-1-yl-butyl)-amine;
- N*4*-{ 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-N*1*,N*1*-diethyl-pentane-1,4-diamine;
- { 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-(tetrahydro-furan-2-ylmethyl)-amine;
- { 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]oxadiazol-2-yl }-bis-(2-methoxy-ethyl)-amine;
- N-{ 5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-
[1,3,4]oxadiazol-2-yl }-N'-methyl-ethane-1,2-diamine;
- { 5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-
[1,3,4]oxadiazol-2-yl }-(2-morpholin-4-yl-ethyl)-amine;
- 2-{ 5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-
[1,3,4]oxadiazol-2-ylamino }-ethanol;
- Allyl-{ 5-[2-(4-ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-
[1,3,4]oxadiazol-2-yl }-amine;
- or a pharmaceutically acceptable salt form thereof.

30

10. A compound of Claim 1 selected from the group of:
- { 5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-
[1,3,4]thiadiazol-2-yl }-ethyl-amine;

- {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(3-pyrrolidin-1-yl-propyl)-amine;
N¹,N¹-Diethyl-N2-{5-[2-(4-ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-ethane-1,2-diamine;
5 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-isopropyl-amine;
[2,3-Difluoro-6-(5-pyrrolidin-1-yl-1,3,4-oxadiazol-2-yl)-phenyl]-(4-ethyl-2-fluoro-phenyl)-amine;
N¹-{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-N>3_-methyl-propane-1,3-diamine;
10 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-furan-2-ylmethyl-amine;
(2,2-Dimethoxy-ethyl)-{5-[2-(ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-amine;
15 {2,3-Difluoro-6-[5-(4-phenyl-piperazin-1-yl)-1,3,4-oxadiazol-2-yl]-phenyl}-(4-ethyl-2-fluoro-phenyl)-amine;
{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(2-methoxy-ethyl)-amine;
or a pharmaceutically acceptable salt form thereof.
20
11. A compound of Claim 1 selected from the group of:
6-{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-ylamino}-hexanenitrile;
(3,3-Diethoxy-propyl)-{5-[2-(4-ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-amine;
25 Diallyl-{5-[2-(4-ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-amine;
{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(3-methylsulfanyl-propyl)-amine;
30 4-{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-ylamino}-isoxazolidin-3-one;
N¹-Ethyl-N¹-{5-[2-(4-ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-N²,N²-dimethyl-ethane-1,2-diamine;

{2,3-Difluoro-6-[5-(4-methyl-perhydro-1,4-diazepin-1-yl)-1,3,4-oxadiazol-2-yl]-phenyl}-(4-ethyl-2-fluoro-phenyl)-amine;
 1-{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-piperidine-3-carboxylic acid diethylamide;
 5 N-{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-O-(tetrahydro-pyran-2-yl)-hydroxylamine;
 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(3-morpholin-4-yl-propyl)-amine;
 or a pharmaceutically acceptable salt form thereof.

10

12. A compound of Claim 1 selected from the group of:

{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(4H-1,2,4-triazol-3-yl)-amine;
 N¹-{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-N2-methyl-ethane-1,2-diamine;
 15 N¹-{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-N1,N>3_,N>3_-trimethyl-propane-1,3-diamine;
 {2,3-Difluoro-6-[5-(4-pyridin-2-yl-piperazin-1-yl)-1,3,4-oxadiazol-2-yl]-phenyl}-(4-ethyl-2-fluoro-phenyl)-amine;
 20 N²-{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-N1,N1-dimethyl-propane-1,2-diamine;
 N¹-(3-Dimethylamino-propyl)-N¹-{5-[2-(4-ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-N>3_,N>3_-dimethyl-propane-1,3-diamine;
 25 N¹-Cyclohexyl-N>3_-{5-[2-(4-ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-propane-1,3-diamine;
 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(2-phenoxy-ethyl)-amine;
 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(2-morpholin-4-yl-ethyl)-amine;
 30 Cyclopropylmethyl-{5-[2-(4-ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-propyl-amine;
 or a pharmaceutically acceptable salt form thereof.

13. A compound of Claim 1 selected from the group of:
- (4-Ethyl-2-fluoro-phenyl)-{6-[5-(4-ethyl-piperazin-1-yl)-1,3,4-oxadiazol-2-yl]-2,3-difluoro-phenyl}-amine;
- 5 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-methyl-(1-methyl-pyrrolidin-3-yl)-amine;
- N¹,N¹-Diethyl-N2-(2-{5-[2-(4-ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-ylamino}-ethyl)-ethane-1,2-diamine;
- 10 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-thiophen-2-ylmethyl-amine;
- {2,3-Difluoro-6-[5-(4-pyrrolidin-1-yl-piperidin-1-yl)-1,3,4-oxadiazol-2-yl]-phenyl}-(4-ethyl-2-fluoro-phenyl)-amine;
- {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(tetrahydro-pyran-2-ylmethyl)-amine;
- 15 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(2-pyridin-4-yl-ethyl)-amine;
- {6-[5-(4-Benzyl-perhydro-1,4-diazepin-1-yl)-1,3,4-oxadiazol-2-yl]-2,3-difluoro-phenyl}-(4-ethyl-2-fluoro-phenyl)-amine;
- {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-pyridin-2-ylmethyl-amine;
- 20 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(5-methyl-furan-2-ylmethyl)-amine;
- or a pharmaceutically acceptable salt form thereof.
- 25 14. A compound of Claim 1 selected from the group of:
- (2-Ethoxy-benzyl)-{5-[2-(4-ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-amine;
- {2,3-Difluoro-6-[5-(4-methyl-piperazin-1-yl)-1,3,4-oxadiazol-2-yl]-phenyl}-(4-ethyl-2-fluoro-phenyl)-amine;
- 30 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-pyridin-3-ylmethyl-amine;
- {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(2-thiophen-2-yl-ethyl)-amine;

- {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(2-pyridin-3-yl-ethyl)-amine;
{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-pyridin-4-ylmethyl-amine;
5 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(2-pyridin-2-yl-ethyl)-amine;
N-(2-{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-ylamino}-ethyl)-acetamide;
{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(6-methoxy-pyridin-3-yl)-amine;
10 {2,3-Difluoro-6-[5-(2-pyridin-4-yl-pyrrolidin-1-yl)-1,3,4-oxadiazol-2-yl]-phenyl}-(4-ethyl-2-fluoro-phenyl)-amine;
or a pharmaceutically acceptable salt form thereof.
- 15 15. A compound of Claim 1 selected from the group of:
{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(2-methanesulfonyl-ethyl)-methyl-amine;
N²-{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-N¹,N¹-dimethyl-1-phenyl-ethane-1,2-diamine;
20 {2,3-Difluoro-6-[5-(4-pyridin-2-ylmethyl-piperazin-1-yl)-1,3,4-oxadiazol-2-yl]-phenyl}-(4-ethyl-2-fluoro-phenyl)-amine;
{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(2-morpholin-4-yl-1-phenyl-ethyl)-amine;
{2,3-Difluoro-6-[5-(3-pyridin-4-yl-pyrrolidin-1-yl)-1,3,4-oxadiazol-2-yl]-phenyl}-(4-ethyl-2-fluoro-phenyl)-amine;
25 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-methyl-(2-pyridin-4-yl-ethyl)-amine;
{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-methyl-(2-pyridin-2-yl-ethyl)-amine;
30 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(2-morpholin-4-yl-2-pyridin-3-yl-ethyl)-amine;
N¹-{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-N²,N²-dimethyl-1-phenyl-ethane-1,2-diamine;

{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(3-imidazol-1-yl-propyl)-amine;
or a pharmaceutically acceptable salt form thereof.

- 5 16. A compound of Claim 1 selected from the group of:
 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-methyl-(tetrahydro-pyran-2-ylmethyl)-amine;
 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(2-furan-2-yl-ethyl)-amine;
10 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(2-thiophen-2-yl-thiazol-4-ylmethyl)-amine;
 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(5-methyl-isoxazol-3-ylmethyl)-amine;
 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-[2-(4-methyl-1H-imidazol-2-yl)-ethyl]-amine;
15 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-[2-(5-pyridin-4-yl-2H-1,2,4-triazol-3-yl)-ethyl]-amine;
 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(1-methyl-2-thiophen-3-yl-ethyl)-amine;
20 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(1H-tetrazol-5-ylmethyl)-amine;
 {5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-1,3,4-oxadiazol-2-yl}-(3-phenyl-1H-pyrazol-4-ylmethyl)-amine; or
25 2-{5-[2-(4-ethynyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-[1,3,4]oxadiazol-2-ylamino}-ethanol
 or a pharmaceutically acceptable salt form thereof.
- 30 17. A compound of Claim 1 selected from the group of:
 [2,3-Difluoro-6-(5-methyl-4H-[1,2,4]triazol-3-yl)-phenyl]-(4-ethyl-2-fluoro-phenyl)-amine;
 (4-Ethyl-2-fluoro-phenyl)-[6-(5-ethyl-[1,3,4]oxadiazol-2-yl)-2,3-difluoro-phenyl]-amine;

- [6-(5-Ethyl-[1,3,4]oxadiazol-2-yl)-2,3-difluoro-phenyl]-(2-fluoro-4-iodo-phenyl)-amine;
- [6-(5-Ethyl-[1,3,4]oxadiazol-2-yl)-2,3-difluoro-phenyl]-(4-ethynyl-2-fluoro-phenyl)-amine;
- 5 {6-[5-(3-Bromo-propyl)-[1,3,4]oxadiazol-2-yl]-2,3-difluoro-phenyl}-(4-ethyl-2-fluoro-phenyl)-amine;
- {2,3-Difluoro-6-[5-(3-morpholin-4-yl-propyl)-[1,3,4]oxadiazol-2-yl]-phenyl}-(4-ethyl-2-fluoro-phenyl)-amine;
- 3-(4-{2,3-Difluoro-6-[5-(2-morpholin-4-yl-ethylamino)-[1,3,4]oxadiazol-2-yl]-phenylamino}-3-fluoro-phenyl)-propan-1-ol;
- 10 {5-[2-(4-Ethynyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-[1,3,4]oxadiazol-2-yl}-(2-morpholin-4-yl-ethyl)-amine;
- 1-(4-{2,3-Difluoro-6-[5-(2-morpholin-4-yl-ethylamino)-[1,3,4]oxadiazol-2-yl]-phenylamino}-3-fluoro-phenyl)-ethanone;
- 15 3-{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-[1,3,4]oxadiazol-2-ylamino}-propane-1,2 (R)-diol;
- 3-{5-[2-(4-Ethynyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-[1,3,4]oxadiazol-2-ylamino}-propane-1,2(R)-diol;
- 3-{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-[1,3,4]oxadiazol-2-ylamino}-propane-1,2(R)-diol;
- 20 3-{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-[1,3,4]oxadiazol-2-ylamino}-propane-1,2 (S)-diol;
- 2-{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-[1,3,4]oxadiazol-2-ylamino}-propane-1,3-diol
- 25 2-{5-[2-(4-Ethynyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-[1,3,4]oxadiazol-2-ylamino}-propane-1,3-diol;
- {5-[3,4-Difluoro-2-(2-fluoro-4-vinyl-phenylamino)-phenyl]-[1,3,4]oxadiazol-2-yl}-(2-morpholin-4-yl-ethyl)-amine;
- 2-(4-{2,3-difluoro-6-[5-(2-morpholin-4-yl-ethylamino)-[1,3,4]oxadiazol-2-yl]-phenylamino}-3-fluoro-phenyl)-ethanol;
- 30 2-{5-[3,4-Difluoro-2-(2-fluoro-4-iodo-phenylamino)-phenyl]-[1,3,4]oxadiazol-2-ylsulfanyl}-ethanol;

[6-(5-Allylsulfanyl-[1,3,4]oxadiazol-2-yl)-2,3-difluoro-phenyl]-(2-fluoro-4-iodo-phenyl)-amine;

2-{5-[3,4-Difluoro-2-(2-fluoro-4-methylsulfanyl-phenylamino)-phenyl]-[1,3,4]oxadiazol-2-ylamino}-propane-1,3-diol;

5 2-{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-[1,3,4]oxadiazol-2-ylamino}-propane-1,3-diol;

3-{5-[3,4-Difluoro-2-(2-fluoro-4-methylsulfanyl-phenylamino)-phenyl]-[1,3,4]oxadiazol-2-ylamino}-propane-1,2(R)-diol;

10 3-{5-[3,4-Difluoro-2-(2-fluoro-4-methylsulfanyl-phenylamino)-phenyl]-[1,3,4]oxadiazol-2-ylamino}-propane-1,2(S)-diol;

3-{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-[1,3,4]oxadiazol-2-ylamino}-propane-1,2(S)-diol;

3-{5-[2-(4-Ethynyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-[1,3,4]oxadiazol-2-ylamino}-propane-1,2(S)-diol;

15 2-{5-[3,4-Difluoro-2-(2-fluoro-4-methylsulfanyl-phenylamino)-phenyl]-[1,3,4]oxadiazol-2-ylamino}-ethanol;

2-(4-{2,3-difluoro-6-[5-(2-methylamino-ethylamino)-1[1,3,4]oxadiazol-2-yl]-phenylamino}-3-fluoro-phenyl)-ethanol; or

20 N-(2-{5-[2-(4-Ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-[1,3,4]oxadiazol-2-ylamino}-ethyl)-N-methyl-acetamide;

Acetic acid 2-{5-[2-(4-ethyl-2-fluoro-phenylamino)-3,4-difluoro-phenyl]-[1,3,4]oxadiazol-2-ylamino}-ethyl ester

or a pharmaceutically acceptable salt form thereof.

25 18. A pharmaceutical composition comprising a pharmaceutically effective amount of a compound of Claim 1, or a pharmaceutically acceptable salt or ester form thereof, and a pharmaceutically acceptable carrier.

30 19. A method of treating a proliferative disease in a patient in need thereof comprising administering a therapeutically effective amount of a compound of Claim 1.

20. A method for treating cancer in a patient in need thereof comprising administering a therapeutically effective amount of a compound of Claim 1 in combination with radiation therapy.
- 5 21. A method of Claim 19 wherein the cancer is brain, breast, lung, ovarian, pancreatic, prostate, renal, or colorectal cancer.
22. A method of treating neuropathic pain in a patient in need thereof comprising administering a therapeutically effective amount of a
10 compound of Claim 1.
23. A method of treating chronic pain in a patient in need thereof comprising administering a therapeutically effective amount of a compound of
15 Claim 1.